

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/02/2012
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155149		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 06/28/2012	
NAME OF PROVIDER OR SUPPLIER HARCOURT TERRACE NURSING AND REHABILITATION				STREET ADDRESS, CITY, STATE, ZIP CODE 8181 HARCOURT RD INDIANAPOLIS, IN 46260			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00109382.</p> <p>Complaint IN00109382 - Substantiated. No deficiencies related to the allegation are cited.</p> <p>Survey date: June 28 2012</p> <p>Facility number: 000070 Provider number: 155149 AIM number: 100266190</p> <p>Survey team: Chuck Stevenson RN</p> <p>Census bed type: SNF: 10 SNF/NF: 73 Total: 83</p> <p>Census payor type: Medicare: 21 Medicaid: 57 Other: 5 Total: 83</p> <p>Sample: 3</p> <p>Harcourt Terrace Nursing and Rehabilitation Center was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2 in regard to the Investigation of Complaint IN00109382.</p> <p>Quality review 6/29/12 by Suzanne Williams, RN</p>			F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.